

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20060123079").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 14:28
L2	1	1 & client\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 14:29
L3	1	1 & "104"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 14:31
L4	1	("5911044").PN.	USPAT; USOCR	OR	OFF	2009/07/30 14:49
L5	1	4 & client\$3 same image \$3	USPAT	OR	OFF	2009/07/30 14:50
L6	1	4 & client\$3 same ( encoded\$3 or decoded\$3)	USPAT	OR	OFF	2009/07/30 14:53
L7	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/30 14:56
L8	1	7 & command\$3	USPAT	OR	OFF	2009/07/30 14:57
L9	0	7 & requests	USPAT	OR	OFF	2009/07/30 14:57
L10	0	7 & commands	USPAT	OR	OFF	2009/07/30 14:57
L11	0	("20030014368").PN.	USPAT; USOCR	OR	OFF	2009/07/30 14:58
L12	2	("20030014368").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 14:58
L13	0	12 & requests	USPAT	OR	OFF	2009/07/30 14:58

L14	0	12 & commands	USPAT	OR	OFF	2009/07/30 14:58
L15	1	7 & request\$3	USPAT	OR	OFF	2009/07/30 14:58
L16	1	("7496234").PN.	USPAT; USOCR	OR	OFF	2009/07/30 14:59
L17	0	16 & requests	USPAT	OR	OFF	2009/07/30 14:59
L18	1	16 & commands	USPAT	OR	OFF	2009/07/30 14:59
L19	0	12 & server\$3 same client \$3	USPAT	OR	OFF	2009/07/30 15:00
L20	0	12 & server\$3 & client\$3	USPAT	OR	OFF	2009/07/30 15:00
L21	0	16 & requests	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:02
L22	1	12 & requests	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:02
L23	1	("5911044").PN.	USPAT; USOCR	OR	OFF	2009/07/30 15:15
L24	80	(370/307).CCLS.	USPAT; USOCR	OR	OFF	2009/07/30 15:38
L25	175	(370/307).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:38
L26	233	(382/323).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:39

L27	0	25 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:39
L28	0	26 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:39
L29	0	26 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L30	2	26 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L31	17	25 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L32	0	25 & (multiplex\$3 or demultiplex\$3) same client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L33	0	26 & (multiplex\$3 or demultiplex\$3) same client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40

L34	0	26 & (multiplex\$3 or demultiplex\$3) & client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L35	0	25 & (multiplex\$3 or demultiplex\$3) & client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L36	2	25 & (multiplex\$3 or demultiplex\$3) & server\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L37	0	26 & (multiplex\$3 or demultiplex\$3) & server\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:40
L38	2	26 & (multiplex\$3 or demultiplex\$3) same call\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41
L39	17	25 & (multiplex\$3 or demultiplex\$3) same call\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41
L40	5	25 & (multiplex\$3 or demultiplex\$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41
L41	12	26 & (multiplex\$3 or demultiplex\$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41

L42	3	26 & (multiplex\$3 or demultiplex\$3) same scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41
L43	3	26 & (multiplex\$3 or demultiplex\$3) same scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 15:41
S1	133	twain\$3 same client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/18 20:35
S2	133	twain\$3 same client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/18 23:10
S3	133	twain\$3 same client\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 14:15
S4	133	(( standard\$3 near2 framework with image\$3 ) or twain\$3) same client \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 14:18
S5	133	(( standard\$3 near2 framework with image\$3 ) or twain\$3) same client \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 17:31
S6	1	("6425001").PN.	USPAT; USOCR	OR	OFF	2009/07/19 17:50
S7	1	"5257369".PN.	USPAT; USOCR	OR	OFF	2009/07/19 17:50
S8	1	"5864680".PN.	USPAT; USOCR	OR	OFF	2009/07/19 17:50
S9	1	"5911044".PN.	USPAT; USOCR	OR	OFF	2009/07/19 17:51

S10	1	"6218718".PN.	USPAT; USOCR	OR	OFF	2009/07/19 17:51
S11	1	("6209040").PN.	USPAT; USOCR	OR	OFF	2009/07/27 15:49
S12	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/29 11:18
S13	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/29 12:51
S14	1	S13 & ( image\$3 same ( respons\$3 or result\$3))	USPAT	OR	OFF	2009/07/29 12:54
S15	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/29 15:12
S16	1	S15 & ( image\$3 )	USPAT	OR	OFF	2009/07/29 15:12
S17	1	("20030014368").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 15:16
S18	0	S17 & ( image\$3 )	USPAT	OR	OFF	2009/07/29 15:16
S19	1	("20040100651").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 15:17
S20	0	S19 & ( image\$3 )	USPAT	OR	OFF	2009/07/29 15:17
S21	1	S15 & ( image\$3 ) same client\$3	USPAT	OR	OFF	2009/07/29 15:57
S22	1	("5911044").PN.	USPAT; USOCR	OR	OFF	2009/07/29 16:15
S23	2974	(719/328,330-332). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:44
S24	34	S23 & (multiplex\$3 or demultiplex\$3) same ( call\$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:45
S25	1	S23 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:46

S26	204	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:47
S27	23	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) same ( client\$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:47
S28	11	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) same ( client\$3 or server\$3) & ( application adj2 programming adj2 interface\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 16:48
S29	50	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) & (multiplex\$3 or demultiplex\$3) same ( client\$3 or server\$3) & ( application adj2 programming adj2 interface\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:03
S30	268	(multiplex\$3 or demultiplex\$3) & ( call\$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) same ( client\$3 or server\$3) & ( application adj2 programming adj2 interface\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:12

S31	3	S23 & (multiplex\$3 or demultiplex\$3) & ( call\$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( intercept\$3 or hook\$3) same ( client\$3 or server \$3) & ( application adj2 programming adj2 interface\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:12
S32	231	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( client\$3 or server\$3) & ( intercept\$3 or hook\$3) same ( client\$3 or server \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:14
S33	3	S23 & (multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( client\$3 or server\$3) & ( intercept\$3 or hook\$3) same ( client\$3 or server \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:14
S34	191	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( client\$3 or server\$3) & ( intercept\$3 or hook\$3) same ( client\$3 or server \$3) same ( call\$3 or api \$3 or ( application adj2 programming adj2 interface\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:15



S35	64	(multiplex\$3 or demultiplex\$3) same ( call \$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) same ( client\$3 or server\$3) & ( intercept\$3 or hook\$3) same ( client\$3 or server\$3) same ( call\$3 or api\$3 or ( application adj2 programming adj2 interface\$3)) & ( application adj2 programming adj2 interface\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:17
S36	2	("20060123079").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:54
S37	0	S36 & ( client\$3 same ( multiplex\$3 or demultiplex\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:55
S38	1	S36 & ( client\$3 same multipl\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:55
S39	1	S36 & ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:55
S40	1	S36 & ( "102" same ( multiplex\$3 or demultiplex\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:56
S41	1	S36 & ( "104 " same ( multiplex\$3 or demultiplex\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:56

S42	1	S36 & ( "104 " & ( multiplex\$3 or demultiplex\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 17:57
S43	1	S36 & ( "104 " same protocol\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 18:20
S44	2	("20030014368").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 18:30
S45	1	(multiplex\$3 or demultiplex\$3) same ( client\$3 ) same TWain \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:33
S46	1	(multiplex\$3 or demultiplex\$3) same TWain\$3 & ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:34
S47	4	(multiplex\$3 or demultiplex\$3) & TWain \$3 same ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:34
S48	1	(multiplex\$3 or demultiplex\$3) same TWain\$3 & ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:38
S49	1	(multiplex\$3 or demultiplex\$3) same TWain\$3 same request \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:38

S50	1	(multiplex\$3 or demultiplex\$3) same TWain\$3 same server\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:40
S51	1	(multiplex\$3 or demultiplex\$3) same TWain\$3 & server\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:40
S52	1	(multiplex\$3 or demultiplex\$3) same TWain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:46
S53	22	(multiplex\$3 or demultiplex\$3) & TWain\$3 & ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:47
S54	4	(multiplex\$3 or demultiplex\$3) & TWain\$3 same ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:49
S55	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/29 21:55
S56	28	( select\$3 or identif\$3 or detect\$3 or determin\$3) same TWain\$3 same ( client\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 21:59
S57	1	(multiplex\$3 or demuX\$3) same ( client\$3 ) same TWain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 23:24
S58	1	(mux\$3 or demuX\$3) same ( client\$3 ) same TWain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 23:24

S59	134	( client\$3 ) same TWain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 23:24
S60	1	("5,911,044").PN.	USPAT; USOCR	OR	OFF	2009/07/30 11:19
S61	348	"1" & TWAIN\$3	USPAT	OR	OFF	2009/07/30 11:19
S62	332	( client\$3 ) & TWain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:28
S63	54	( client\$3 ) & TWain\$3 with ( select\$3 or determin\$3 or identif\$3 or specif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:28
S64	50	( client\$3 with driver\$3 ) & TWain\$3 with ( drive \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:41
S65	26	( client\$3 same driver\$3 with ( select\$3 or determin\$3 or specif\$3 or identif\$3 ) & TWain\$3 with drive\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:43
S66	21	( client\$3 with driver\$3 ) & TWain\$3 with ( select \$3 or determin\$3 or identif\$3 or specif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:46
S67	26	( client\$3 same driver\$3 with ( select\$3 or identif \$3 or determin\$3 or specif\$3 ) ) & TWain\$3 with driver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:48

S68	66	( client\$3 same driver\$3 ) & TWain\$3 with driver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:52
S69	138	TWain\$3 with ( select\$3 or determin\$3 or identif\$3 or specif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:53
S70	74	TWain\$3 with ( select\$3 or determin\$3 or identif\$3 or specif\$3) & server\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 11:54
S71	85	TWain\$3 with ( select\$3 or determin\$3 or identif\$3 or specif\$3) same user\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:08
S72	103	(( select\$3 or determin\$3 or specif\$3 or identif\$3 ) same TWain\$3 with drive\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:47
S73	0	( client\$3 same driver\$3 same interface\$3 near3 standard with scanners & TWain\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:49
S74	0	( client\$3 same driver\$3 same interface\$3 near3 standard with scanners )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:49
S75	4	( client\$3 same driver\$3 same interface\$3 near3 standard with scanner\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:50

S76	4	( client\$3 same interface \$3 near3 standard with scanner\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:50
S77	6	( client\$3 same standard with scanner\$3 with driver\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:50
S78	220	( client\$3 same scanner \$3 with driver\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:51
S79	1	("7319537").PN.	USPAT; USOCR	OR	OFF	2009/07/30 12:51
S80	0	S79 & ( client\$3 same scanner\$3 with driver \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:51
S81	27	( client\$3 same scanner \$3 with driver\$3 with ( identif\$3 or select\$3 or determin\$3 or specif \$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 12:52
S82	4	client\$3 same scanner\$3 with driver\$3 same (demultiple\$3 or multipl \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:03
S83	5	client\$3 same scanner\$3 with driver\$3 same (demultiple\$3 or multiple \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:03
S84	25	client\$3 with driver\$3 same (demultiple\$3 or multiple\$3) & scanner\$3 with driver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:04

S85	3	client\$3 with driver\$3 same (demultiplex\$3 or multiplex\$3) & scanner \$3 with driver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:05
S86	3	client\$3 same driver\$3 same (demultiplex\$3 or multiplex\$3) & scanner \$3 with driver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:05
S87	22	client\$3 same driver\$3 same (demultiplex\$3 or multiplex\$3) & scanner \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:05
S88	5	client\$3 same driver\$3 with (demultiplex\$3 or multiplex\$3) & scanner \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:05
S89	23	client\$3 same driver\$3 same (demultiplex\$3 or multiplex\$3 or demux\$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:09
S90	420	client\$3 same (demultiplex\$3 or multiplex\$3 or demux\$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:14
S91	27	client\$3 same (demultiplex\$3 or multiplex\$3 or demux\$3) same scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:14
S92	1	client\$3 same (demultiplex\$3 or demux\$3) same scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:15

S93	81	client\$3 same (demultiplex\$3 or demux \$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:15
S94	36	client\$3 with (demultiplex \$3 or demux\$3) & scanner\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:16

7/30/2009 3:42:10 PM

C:\Program Files\USPTO\EAST\Bin\default9999999.wsp